

 **ANCHOR**
by **Panasonic**

STYLISH
RELIABLE
INNOVATIVE

COMPLETE WATER HEATER RANGE
FOR YOUR MODERN BATH SPACE



Innovative Solutions for a Brighter Future



Panasonic Life Solutions India (formerly known as Anchor Electricals) is a wholly owned subsidiary of Panasonic Corporation, Japan and is the leading Electrical Construction Material company with a presence across India. It is a trusted brand for consumer electrical products and solutions, offering an extensive range of products that include: Wiring Devices (Switch, Socket and Accessories), Wires & Cables, Switchgear, Conduit Pipes and boxes, Solar Modules, Inverters & Solar EPC Solutions, Residential and Commercial Lighting, IoT & Home Automation, IAQ (Indoor Air Quality / Fans), Water Heaters, EV Infrastructure/Chargers, Housing Solutions like Modular Kitchen, Wardrobe, Electronic Toilet Seat (ETS) and Clothes Drying System, KMEW Boards, to name a few.

In India, the company having offices in more than 35 cities and has over 10,000 professionals. It has seven state-of-the-art manufacturing units in India and is manufacturing cutting-edge electrical products, synonymous with quality. Recognised as one of the Best Brands in the Electrical Construction Material industry by the Economic Times, Panasonic Life Solutions India has established itself as a market leader and one-stop solution provider of commercial, industrial, and home solutions in the electrical, renewable, and housing solutions segment.

LUGANO



STAINLESS
STEEL TANK



RUST PROOF BODY



COPPER HEATING
ELEMENT



SAFETY VALVE
(> 6.5 BAR)



HIGH PRECISION
PRECALIBRATED
THERMOSTAT



PRESET THERMAL
CUTOUT



FIRE RETARDANT
POWER CORD



IPX4
PROTECTION



IS:8978



CM/L-8929811

CAPACITY	3L
POWER (WATTS)	3000
WORKING PRESSURE	0.65 MPa
PRODUCT DIMENSIONS	370 x 220 x 185 (HxWxD) mm

*AVAILABLE ONLY FOR SELECT CHANNEL

INSTANTANEOUS WATER HEATER



VENICE

INSTANTANEOUS WATER HEATER



STAINLESS
STEEL TANK



RUST PROOF BODY



COPPER HEATING
ELEMENT



SAFETY VALVE
(> 6.5 BAR)



HIGH PRECISION
PRECALIBRATED
THERMOSTAT



PRESET THERMAL
CUTOUT



FIRE RETARDANT
POWER CORD



IPX4
PROTECTION



IS:8978



CM/L-9100153605

CAPACITY	1L
POWER (WATTS)	3000/4500
WORKING PRESSURE	0.65 MPa
PRODUCT DIMENSIONS (1L)	305 x 175 x 155 (HxWxD) mm
PRODUCT DIMENSIONS (3L)	347 x 203 x 185 (HxWxD) mm



INSTANTANEOUS WATER HEATER

DELSY



5 STAR RATING



GLASSLINED INNER TANK



MAGNESIUM ANODE



COPPER HEATING ELEMENT



IMPROVED ENERGY SAVINGS



MULTI FUNCTION SAFETY VALVE



ADJUSTABLE THERMOSTAT



THERMAL CUTOUT



SUITABLE FOR HIGH RISE BUILDING



CAPACITY	6L, 10L, 15L, 25L
MOUNTING TYPE	VERTICAL
DEGREE OF PROTECTION HUMIDITY	IPX 4
ADJUSTABLE THERMOSTAT	Yes 30° to 75°C
THERMAL CUTOUT	Yes
POWER (WATTS)	2000
WORKING PRESSURE	0.8 MPa
OVER HEAT PROTECTION	Yes
ANTI DRY HEAT PROTECTION	Yes
ANTI HIGH PRESSURE PROTECTION	Yes
PRODUCT DIMENSIONS (6L)	Φ298 x 335 (DxH) mm
PRODUCT DIMENSIONS (10L)	Φ298 x 441 (DxH) mm
PRODUCT DIMENSIONS (15L)	Φ329 x 443 (DxH) mm
PRODUCT DIMENSIONS (25L)	Φ368 x 540 (DxH) mm

*AVAILABLE ONLY FOR SELECT CHANNEL

STORAGE WATER HEATER



TRISA



3 STAR RATING



GLASSLINED INNER TANK



MAGNESIUM ANODE




COPPER HEATING ELEMENT



MULTI FUNCTION SAFETY VALVE




SUITABLE FOR HIGH RISE BUILDING



ADJUSTABLE THERMOSTAT



RUST PROOF BODY



CAPACITY	10L, 15L, 25L
MOUNTING TYPE	HORIZONTAL
DEGREE OF PROTECTION HUMIDITY	IPX 4
ADJUSTABLE THERMOSTAT	Yes 30° to 75°C
THERMAL CUTOUT	Yes
POWER (WATTS)	2000
WORKING PRESSURE	0.8 MPa
OVER HEAT PROTECTION	Yes
ANTI DRY HEAT PROTECTION	Yes
ANTI HIGH PRESSURE PROTECTION	Yes
PRODUCT DIMENSIONS (10L)	Φ335 x 400 (DxW) mm
PRODUCT DIMENSIONS (15L)	Φ335 x 480 (DxW) mm
PRODUCT DIMENSIONS (25L)	Φ335 x 690 (DxW) mm

* LHS & RHS AVAILABLE

STORAGE WATER HEATER



Rivia

STORAGE WATER HEATER



4 STAR
RATING



GLASSLINED
INNER TANK



MAGNESIUM
ANODE




NICKEL COATED
COPPER
HEATING ELEMENT



MULTI FUNCTION
SAFETY VALVE



SUITABLE FOR
HIGH RISE BUILDING &
PRESSURE PUMP
APPLICATION



ADJUSTABLE
THERMOSTAT



CAPACITY	35L, 50L
MOUNTING TYPE	VERTICAL
DEGREE OF PROTECTION HUMIDITY	IPX 4
POWER (WATTS)	2000
WORKING PRESSURE	0.8 Mpa
PRODUCT DIMENSIONS (35L)	Φ401 X 567 (DXH) mm
PRODUCT DIMENSIONS (50L)	Φ401 X 765 (DXH) mm



STORAGE WATER HEATER



DISCLAIMER :

- Images are for representation purpose and the actual product may vary
- The company reserves the right to change the specifications without any prior notice
- Due to continuous improvement, product specifications may vary
- Always use Anchor genuine spare parts and pipes
- Any dispute shall be subject to the exclusive jurisdiction of Thane courts
- Always get your installation done by the Authorized Anchor by Panasonic Service centre only

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.

Tel. 022 4222 8888 | Fax. 022 4222 8884

Customer Care no.: 022-41304130 | WhatsApp: 9136028606

Email: wecare@in.panasonic.com | www.isin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.